

Giovanni FERRARIS - Published papers

- 1 - Rigault G. & Ferraris G. (1962). Spettrofotometria di assorbimento in luce polarizzata delle sostanze cristalline. *Rend. Soc. Min. It.* **18**, 199 - 213.
- 2 - Rigault G. & Ferraris G. (1962). Ricerche sulla fluorite rosea del Monte Bianco. *Atti Acc. Sci. Torino* **96**, 517-533.
- 3 - Ferraris G. (1963). Ricerche sul colore della fluorite di Castelsilano (Catanzaro). *Rend. Soc. Min. It.* **19**, 99-108.
- 4 - Calleri M. & Ferraris G. (1964). Ricerche cristallografico-strutturali sull'analcime: $\text{Na}[\text{AlSi}_2\text{O}_6]\text{H}_2\text{O}$. *Atti Acc. Sci. Torino* **98**, 424-451.
- 5 - Calleri M. & Ferraris G. (1964). Metodo per ottenere le costanti di una espressione analitica dei fattori di diffrazione atomica. *Atti Acc. Sci. Torino* **98**, 465-470.
- 6 - Calleri M. & Ferraris G. (1964). Struttura dell'analcime: $\text{Na}[\text{AlSi}_2\text{O}_6]\cdot\text{H}_2\text{O}$. *Atti Acc. Sci. Torino* **98**, 821-846.
- 7 - Ferraris G. (1965). Espressione analitica e calcolo delle coordinate per un diffrattometro a tre cerchi. *Atti Acc. Sci. Torino* **99**, 457- 471.
- 8 - Calleri M., Ferraris G. & Viterbo D. (1965). Struttura cristallina e molecolare dell'anidride dell'acido p-clorobenzoico. *Atti Acc. Sci. Torino* **100**, 145-170.
- 9 - Calleri M. & Ferraris G. (1965). Notizie cristallografiche sulla farmacolite: $\text{CaH}(\text{AsO}_4)\cdot 2\text{H}_2\text{O}$. *Atti Acc. Sci. Torino* **100**, 171-173.
- 10 - Calleri M., Ferraris G. & Viterbo D. (1966). The crystal and molecular structure of glyoxime. *Acta Cryst.* **20**, 73-80.
- 11 - Calleri M. & Ferraris G. (1967). Struttura della haidingerite: $\text{CaH}(\text{AsO}_4)\cdot\text{H}_2\text{O}$. *Per. Mineral.* **36**, 1-23.
- 12 - Calleri M., Ferraris G. & Viterbo D. (1967). The crystal and molecular structure of nickel-glyoxime. *Acta Cryst.* **22**, 468-475.
- 13 - Calleri M., Ferraris G. & Viterbo D. (1967). The crystal and molecular structure of bis(glyoximato)palladium(II). *Inorg. Chim. Acta* **1**, 297-302.
- 14 - Calleri M., Ferraris G. & Viterbo D. (1967). On the isomerism of aryl-alkyl-furoxans: the molecular structure of methyl-p-bromophenyl-furoxans. *Tetrahedron Letters* **46**, 4549-4551.
- 15 - Calleri M., Ferraris G. & Scaini G. (1968). Segnalazione di un particolare membro del gruppo di minerali A"(SO₄).4H₂O. *Rend. Soc. It. Min. Petr.* **24**, 143-153.
- 16 - Calleri M., Ferraris G. & Viterbo D. (1969). The crystal and molecular structure of the 2-oxide of 4-methyl-3-(p-bromophenyl)-1,2,5-oxadiazole. *Acta Cryst.* **B25**, 1126-1133.
- 17 - Calleri M., Ferraris G. & Viterbo D. (1969). The crystal and molecular structure of the 5-oxide of 4-methyl-3-(p-bromophenyl)-1,2,5-oxadiazole. *Acta Cryst.* **B25**, 1133-1139.
- 18 - Abbona F., Compagnoni R. & Ferraris G. (1969). Contributo alla conoscenza di minerali arsenicali. Nota I. Ricerche su nuovi minerali di Brosso (Torino). *Per. Mineral.* **38**, 245-267.
- 19 - Calleri M., Ferraris G. & Viterbo D. (1968). Struttura di alcuni complessi della gliossima con metalli di transizione. Struttura di alcune fasi del sistema $\text{CaHAsO}_4\text{H}_2\text{O}$. *CNR - Strutturistica chimica diffrattometrica* pp.119-122.
- 20 - Ferraris G. (1969). The crystal structure of pharmacolite, $\text{CaH}(\text{AsO}_4)\cdot 2\text{H}_2\text{O}$. *Acta Cryst.* **B25**, 1544-1550.
- 21 - Ferraris G. & Viterbo D. (1969). The crystal and molecular structure of bis(glyoximato)platinum(II). *Acta Cryst.* **B25**, 2066-2070.
- 22 - Viterbo D. & Ferraris G. (1970). Crystal and molecular structure of the N-oxide of 3,4(-

- chlorobenzoyl)-1,2,5-oxadiazole. *J. Chem. Soc. Sec. B Phys. Org.* pp. 223-227.
- 23 - Ferraris G., Franchini-Angela M. & Roggiani G. (1970). Cosalite nelle miniere aurifere del torrente Alfenza (Crodo, Val d'Ossola). *Per. Mineral.* **29**, 165-172.
- 24 - Franchini-Angela M. & Ferraris G. (1970). Su un granato verde di Testa Ciarva (Pian della Mussa, alta Val d'Ala). *Atti Acc. Sci. Torino* **104**, 323-333.
- 25 - Franchini-Angela M. & Ferraris G. (1970). Granato titanifero di Alpe Grifone (Valle di Viù, Piemonte). *Atti Acc. Sci. Torino* **104**, 459-467.
- 26 - Ferraris G. & Chiari G. (1970). The crystal structure of CaHAsO_4 (weilite). *Acta Cryst.* **B26**, 403-410.
- 27 - Abbona F. & Ferraris G. (1970). Contributo alla conoscenza di minerali arsenicali. Nota II. Ricerche sulla disidratazione della weilite, della haidingerite e della pharmacolite. *Per. Mineral.* **29**, 183-204.
- 28 - Ferraris G. (1970). Considerazioni sulla configurazione del gruppo $(\text{AsO}_4 \text{H})^{2-}$. *Rend. Soc. It. Min. Petr.* **26**, 589-598.
- 29 - Ferraris G. & Chiari G. (1970). The crystal structure of $\text{Na}_2\text{HAsO}_4 \cdot 7\text{H}_2\text{O}$. *Acta Cryst.* **B26**, 1574-1583.
- 30 - Ferraris G. & Franchini-Angela M. (1971). An analytical test of Vegard's law. *Rend. Soc. It. Min. Petr.* **27**, 105-147.
- 31 - Franchini-Angela M. & Ferraris G. (1971). Ricerche su granati delle rodingiti di Montjovet (Val d'Aosta). *Atti Acc. Sci. Torino* **105**, 251-263.
- 32 - Ferraris G. & Gervasio G. (1971). On the crystal and molecular structure of $(\text{C}_6\text{H}_5\text{C}_2\text{C}_6\text{H}_5)_2\text{Os}_3(\text{CO})_9$. *Atti Acc. Sci. Torino* **105**, 303-306.
- 33 - Ferraris G., Jones D.W. & Yerkess J. (1971). Determination of hydrogen atom positions in the crystal structure of pharmacolite, $\text{CaHAsO}_4 \cdot 2\text{H}_2\text{O}$, by neutron diffraction. *Acta Cryst.* **B27**, 349-354.
- 34 - Ferraris G., Jones D.W. & Yerkess J. (1971). A neutron diffraction study of the crystal structure of sodium arsenate heptahydrate, $\text{Na}_2\text{HAsO}_4 \cdot 7\text{H}_2\text{O}$. *Acta Cryst.* **B27**, 354-359.
- 35 - Ferraris G. & Gramaccioli C.M. (1971). Goldichite, krausite e yavapaiite della solfatara di Pozzuoli. *Atti Acc. Sci. Torino* **105**, 483-492.
- 36 - Chiari G. & Ferraris G. (1971). The crystal structure of calcium dihydrogen arsenate, $\text{Ca}(\text{H}_2\text{AsO}_4)_2$. *Atti Acc. Sci. Torino* **105**, 725-743.
- 37 - Ferraris G., Jones D.W. & Yerkess J. (1971). Symmetrical hydrogen bonds in the crystal structure of calcium bis(dihydrogen arsenate). a neutron-diffraction study. *Chem. Comm.* pp. 1566-1567.
- 38 - Del Pra A., Mammi M. & Ferraris G. (1972). Anomalous dispersion effects in the calculation of electron density. *Acta Cryst.* **A28**, 65-69.
- 39 - Ferraris G., Jones D.W. & Yerkess J. (1972). A neutron and X-ray refinement of the crystal structure of $\text{CaHAsO}_4 \cdot \text{H}_2\text{O}$ (haidingerite). *Acta Cryst.* **B28**, 209-214.
- 40 - Ferraris G. & Gervasio G. (1972). Crystal and molecular structure of octacarbonyl- μ (1,2,3,4-tetraphenyl-but-2-ene-1,1,4,4-tetrayl)-triangulotriosmium $(\text{Ph}_4\text{C}_4)\text{Os}_3(\text{CO})_8$. *J. Chem. Soc. Dalton Trans.* pp. 1057-1061.
- 41 - Ferraris G. & Abbona F. (1972). The crystal structure of $\text{Ca}_5(\text{HAsO}_4)_2(\text{AsO}_4)_2 \cdot 4\text{H}_2\text{O}$ (sainfeldite). *Bull. Soc. fr. Minéral. Cristallogr.* **95**, 33-41.
- 42 - Ferraris G., Jones D.W. & Yerkess J. (1972). A neutron-diffraction study of the crystal structure of analcime, $\text{NaAlSi}_2\text{O}_6 \cdot \text{H}_2\text{O}$. *Z. Kristallogr.* **135**, 240-252.
- 43 - Ferraris G., Jones D.W. & Yerkess J. (1972). A neutron diffraction study of the crystal structure of calcium bis(dihydrogen arsenate), $\text{Ca}(\text{H}_2\text{AsO}_4)_2$. *Acta Cryst.* **B28**, 2430-2437.

- 44 - Ferraris G., Jones D.W., Yerkess J. & Bartle K.D. (1972). Crystal structure of 1,5-dimethylnaphthalene: a neutron diffraction study. *J. Chem. Soc. Perkin II.* pp. 1628-1632.
- 45 - Ferraris G. & Franchini-Angela M. (1972). Survey of the geometry and environment of water molecules in crystalline hydrates studied by neutron diffraction. *Acta Cryst.* **B28**, 3572-3583.
- 46 - Catti M. & Ferraris G. (1973). Hydrogen bonding in the crystalline state. Crystal structure of $\text{CaHAsO}_4 \cdot 3\text{H}_2\text{O}$. *Acta Cryst.* **B29**, 90-96.
- 47 - Ferraris G. & Franchini-Angela M. (1973). Hydrogen bonding in the crystalline state. Crystal structure of $\text{MgHAsO}_4 \cdot 7\text{H}_2\text{O}$, roesslerite. *Acta Cryst.* **B29**, 286-292.
- 48 - Ferraris G., Jones D.W. & Yerkess J. (1973). Refinement of the crystal structure of magnesium sulphate heptahydrate (epsomite) by neutron diffraction. *J. Chem. Soc. Dalton Trans.* pp. 816-821.
- 49 - Catti M. & Ferraris G. (1973). The determination of all lattice constants from one crystal setting by Weissenberg and rotation methods. *Z. Kristallogr.* **137**, 106-111.
- 50 - Ferraris G. & Franchini-Angela M. (1973). Hydrogen bonding in the crystalline state. Refinement of the crystal structure of $\text{MgNH}_4\text{AsO}_4 \cdot 6\text{H}_2\text{O}$, arsenstruvite. *Acta Cryst.* **B29**, 859-863.
- 51 - Ferraris G., Jones D.W. & Yerkess J. (1973). A neutron-diffraction study of the crystal and molecular structure of triphenylene. *Z. Kristallogr.* **138**, 113-128.
- 52 - Gervasio G. & Ferraris G. (1973). Nonacarbonyl- μ (ter-butyl-acetylene)-triangulo-triruthenium $\text{C}_{15}\text{H}_{10}\text{O}_9\text{Ru}_3$. *Cryst. Struct. Comm.* **3**, 447-450.
- 53 - Ferraris G. & Catti M. (1973). Generalization of Baur's correlations between bond length and bond strength in inorganic structures. *Acta Cryst.* **B29**, 2006-2009.
- 54 - Ferraris G. & Gervasio G. (1973). Crystal and molecular structure of heptacarbonyl- μ 3-diphenylacetylene- μ -(1,2,3,4-tetraphenylbutadiene-1,4-diyl)triangulo-triosmium. *J. Chem. Soc. Dalton Trans.* pp. 1933-1936.
- 55 - Catti M. & Ferraris G. (1974). Hydrogen bonding in the crystalline state. NaH_2PO_4 , a crystal structure with a short asymmetrical hydrogen bond. *Acta Cryst.* **B30**, 1-6.
- 56 - Ferraris G. & Franchini-Angela M. (1974). Hydrogen bonding in the crystalline state. Crystal structure and twinning of $\text{NaNH}_4\text{HPO}_4 \cdot 4\text{H}_2\text{O}$ (stercorite). *Acta Cryst.* **B30**, 504-510.
- 57 - Ferraris G. & Franchini-Angela M. (1974). New data on stercorite ($\text{NaNH}_4\text{HPO}_4 \cdot 4\text{H}_2\text{O}$) and on its isostructural arsenate. *Rend. Soc. It. Min. Petr.* **30**, 101-109.
- 58 - Ferraris G., Jones D.W. & Sowden J.M. (1974). Hydrogen bonding in the crystalline state. A neutron and X-ray diffraction study of $\text{NaH}_2\text{AsO}_4 \cdot \text{H}_2\text{O}$, a crystal structure with unusual pseudo-symmetry. *Atti Acc. Sci. Torino* **108**, 507-527.
- 59 - Catti M. & Ferraris G. (1974). Crystal structure of $\text{Ca}_5(\text{HAsO}_4)_2(\text{AsO}_4)_2 \cdot 9\text{H}_2\text{O}$ (guérinite). *Acta Cryst.* **B30**, 1789-1794.
- 60 - Ferraris G. & Gervasio G. (1974). Crystal and molecular structure of nonacarbonyl- μ -(1,2,3,4-tetraphenyl-butadiene-1,4-diyl)-triangulo-triosmium, $(\text{Ph}_4\text{C}_4)\text{Os}_3(\text{CO})_9$. *J. Chem. Soc. Dalton Trans.* pp. 1813-1817.
- 61 - Catti M., Ferraris G. & Franchini-Angela M. (1975). Hydrogen bonding in the crystalline state. $\text{NaHSO}_4 \cdot \text{H}_2\text{O}$ (matteuccite), a pseudo-symmetric crystal structure. *Atti Acc. Sci. Torino* **109**, 531-545.
- 62 - Catti M. & Ferraris G. (1976). Twinning by merohedry and X-ray crystal structure determination. *Acta Cryst.* **A32**, 163-165.
- 63 - Catti M. & Ferraris G. (1976). Hydrogen bonding in the crystalline state. Structure of $\text{NaH}_2\text{PO}_4 \cdot \text{H}_2\text{O}$ (orthorhombic phase), and crystal chemistry of the $\text{NaH}_2\text{PO}_4 \cdot n\text{H}_2\text{O}$ series. *Acta Cryst.* **B32**, 359-363.
- 64 - Bartl H., Catti M. & Ferraris G. (1976). Hydrogen bonding in the crystalline state. The crystal

- structure of $\text{NaH}_2\text{PO}_4 \cdot 2\text{H}_2\text{O}$ by X-ray and neutron diffraction. *Acta Cryst.* **B32**, 987-994.
- 65 - Abbona F. & Ferraris G. (1976). On the crystal chemistry of picropharmacolite. *Amer. Mineral.* **61**, 326-328.
- 66 - Catti M. & Ferraris G. (1976). Very short hydrogen bonds and crystallographic symmetry *Acta Cryst.* **B32**, 2754-2756.
- 67 - Catti M., Ferraris G. & Filhol A. (1977). Hydrogen bonding in the crystalline state. CaHPO_4 (monetite), $\text{P}^{\bar{1}}$ - or P1 ? A novel neutron diffraction study. *Acta Cryst.* **B33**, 1223-1229.
- 68 - Catti M., Ferraris G. & Ivaldi G. (1977). Hydrogen bonding in the crystalline state. Structure of talmessite, $\text{Ca}_2(\text{Mg},\text{Co})(\text{AsO}_4)_2 \cdot 2\text{H}_2\text{O}$, and crystal chemistry of related minerals. *Bull. Soc. fr. Minéral. Cristallogr.* **100**, 230-236.
- 69 - Catti M., Ferraris G. & Franchini-Angela (1977). The crystal structure of $\text{Na}_2\text{HPO}_4 \cdot 2\text{H}_2\text{O}$. Competition between coordination and hydrogen bonds. *Acta Cryst.* **B33**, 3449-3452.
- 70 - Catti M., Ferraris G. & Ivaldi G. (1978). Disorder of $(\text{HPO}_4)^{2-}$ and of hydrogen bonds in the structure of $\beta\text{-Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$. *Acta Cryst.* **B34**, 369-373.
- 71 - Ferraris G., Franchini-Angela M. & Orlandi P. (1978). Canavesite a new carboborate mineral from Brosso, Italy. *Can. Mineral.* **16**, 69-73.
- 72 - Catti M., Ferraris G. & Ivaldi G. (1979). A very short, and asymmetrical, hydrogen bond in the structure of $\text{Na}_3\text{H}(\text{SO}_4)_2$ and S-OH vs O-H...O correlation. *Acta Cryst.* **B35**, 525-529.
- 73 - Catti M., Ferraris G. & Ivaldi G. (1979). Refinement of the crystal structure of anapaite, $\text{Ca}_2\text{Fe}(\text{PO}_4)_2 \cdot 4\text{H}_2\text{O}$: hydrogen bonding and relationships with the bihydrated phase. *Bull. Minéral.* **102**, 314-318.
- 74 - Catti M., Ferraris G. & Mason S.A. (1980). Low-temperature ordering of hydrogen atoms in CaHPO_4 (monetite). X-ray and neutron diffraction study at 145K. *Acta Cryst.* **B36**, 254-259.
- 75 - Catti M., Chiari G. & Ferraris G. (1980). Fluckite, $\text{CaMn}(\text{HAsO}_4)_2 \cdot 2\text{H}_2\text{O}$, a structure related by pseudo-polytypism to krautite $\text{MnHAsO}_4 \cdot \text{H}_2\text{O}$. *Bull. Minéral.* **103**, 129-134.
- 76 - Catti M., Chiari G. & Ferraris G. (1980). The structure of ferrarisite, $\text{Ca}_5(\text{HAsO}_4)_2(\text{AsO}_4)_2 \cdot 9\text{H}_2\text{O}$: disorder, hydrogen bonding, and polymorphism with guerinite. *Bull. Minéral.* **103**, 541-546.
- 77 - Catti M., Ferraris G. & Ivaldi G. (1981). The crystal structure of picropharmacolite, $\text{Ca}_4\text{Mg}(\text{HAsO}_4)_2(\text{AsO}_4)_2 \cdot 11\text{H}_2\text{O}$. *Amer. Mineral.* **66**, 385-391.
- 78 - Chiari G. & Ferraris G. (1982). The water molecule in crystalline hydrates studied by neutron diffraction. *Acta Cryst.* **B38**, 2331-2341.
- 79 - Bari H., Catti M., Ferraris G., Ivaldi G. & Permingeat F. (1982). Phaunouxite $\text{Ca}_3(\text{AsO}_4)_2 \cdot 11\text{H}_2\text{O}$, a new mineral strictly associated with rauenthalite. *Bull. Minéral.* **105**, 327-332.
- 80 - Joswig W., Fuess H. & Ferraris G. (1982). Neutron diffraction study of the hydrogen bond in trisodium hydrogenbissulphate and a survey of very short O-H...O bonds. *Acta Cryst.* **B38**, 2798-2801.
- 81 - Compagnoni R., Ferraris G. & Fiora L. (1983). Balangeroite, a new fibrous silicate related to gageite from Balangero, Italy. *Amer. Mineral.* **68**, 214-219.
- 82 - Ferraris G. & Ivaldi G. (1983). A simple method for Bravais lattice determination. *Acta Cryst.* **A39**, 595-596.
- 83 - Bartl H., Catti M., Joswig W. & Ferraris G. (1983). Investigation of the crystal structure of newberyite, $\text{MgHPO}_4 \cdot 3\text{H}_2\text{O}$, by single crystal neutron diffraction. *TMPM* **32**, 187-194.
- 84 - Ferraris G. & Ivaldi G. (1984). X-OH and O-H...O bond lengths in protonated oxoanions. *Acta Cryst.* **B40**, 1-6.

- 85 - Compagnoni R., Ferraris G. & Mellini M. (1985). Carlosturanite, a new asbestiform rock-forming silicate from Val Varaita, Italy. *Amer. Mineral.* **70**, 767-772.
- 86 - Mellini M., Ferraris G. & Compagnoni R. (1985). Carlosturanite: HRTEM evidence of a polysomatic series including serpentine. *Amer. Mineral.* **70**, 773-781.
- 87 - Ferraris G., Fuess. H. & Joswig W. (1986). Neutron diffraction study of $MgNH_4PO_4 \cdot 6H_2O$ (struvite) and survey of water molecules donating short hydrogen bonds. *Acta Cryst.* **B42**, 253-258.
- 88 - Ferraris G., Mellini M. & Merlino S. (1986). Polysomatism and the classification of minerals. *Rend. Soc. Ital. Miner. Petr.* **41**, 181-192.
- 89 - Ferraris G., Mellini M. & Merlino S. (1987). Electron-diffraction and electron-microscopy study of balangerorite and gageite: Crystal structures, polytypism, and fiber texture. *Amer. Mineral.* **72**, 382-391.
- 90 - Ivaldi G., Catti M. & Ferraris G. (1988). Crystal structure at 25 and 700°C of magnesiochloritoid from a high-pressure assemblage (Monte Rosa). *Amer. Mineral.* **73**, 358-364.
- 91 - Ferraris G. & Ivaldi G. (1988). Bond valence vs bond length in O...O hydrogen bonds. *Acta Cryst* **B44**, 341-3444.
- 92 - Catti M., Ferraris G. & Ivaldi G. (1988). Thermal behavior of the crystal structure of strontian piemontite. *Amer. Mineral.* **73**, 1370-1376.
- 93 - Ferraris G. (1988). Prefazione e revisione dell'edizione italiana di "La grande enciclopedia dei minerali", *Fabbri editori*.
- 94 - Ferraris G., Ivaldi G., Fuess H. & Gregson D. (1989). Manganese/iron distribution in a strontian piemontite by neutron diffraction. *Z. Kristallogr.* **187**, 145-151.
- 95 - Catti M., Ferraris G. & Ivaldi G. (1989). On the crystal chemistry of strontian piemontite with some remarks on the nomenclature of the epidote group. *N. Jb. Miner. Mh.* pp. 357-366.
- 96 - Catti M., Ferraris G. & Ivaldi G. (1989). Thermal strain analysis in the crystal structure of muscovite at 700°C. *Eur. J. Mineral.* **1**, 625-632.
- 97 - Chiari G. & Ferraris G. (1990). Bond valence vs bond length and Pauling's bond strength: The Ca-O bond. *Zeit. Kristall.* **191**, 39-43.
- 98 - Belluso E. & Ferraris G. (1991). New data on balangeroite and carlosturanite from alpine serpentinites. *Eur. J. Mineral.* **3**, 559-566.
- 99 - Astolfi A., Fubini B., Giamello E., Volante M., Belluso E. & Ferraris G. (1991). Asbestiform minerals associated with chrysotile from the Western Alps (Piedmont - Italy): Chemical characteristics and possible related toxicity. In: *Mechanisms in Fibre Carcinogenesis*, Eds. R. C. Brown et al., *Plenum Press (New York)*, 269 - 283.
- 100 - Chopin C., Seidel E., Theye T., Ferraris G., Ivaldi G. & Catti M. (1992). Magnesiochloritoid, and the Fe-Mg series in the chloritoid group. *Eur. J. Mineral.* **4**, 67 - 76.
- 101 - Ferraris G., Ivaldi G. & Goffé B. (1992). Structural study of a magnesian ferrocapholite: Are capholites monoclinic? *N. Jb. Miner. Mh.*, pp. 337 - 347.
- 102 - Ferraris G. (1992). Characterization of asbestos: A review with reference to new fibrous minerals from western Alps. *Per. Mineral.* **61**, 63-75. (Pubblicato 1993).
- 103 - Ferraris G. (1993). Arfvedsonite from a peralkaline rhyolite (Mojo, Ethiopia). In: *Geology and mineral resources of Somalia and surrounding regions - Ist. Agron. Oltremare, Firenze. Relaz. e Monogr.* **113**, 339 - 344
- 103bis – Ferraris G. (1993) – Preface to the Directory of Institutions – *European Mineralogical Union, supplement to Eur. J. Mineral.* **5**.
- 104 - Catti M., Ferraris G., Hull S. & Pavese A. (1994). Powder neutron diffraction study of 2M₁ muscovite at room pressure and at 2 GPa. *Eur. J. Mineral.* **6**, 171 - 178.
- 105 - Amisano Canesi A., Chiari G., Ferraris G., Ivaldi G. & Soboleva S.V. (1994). Muscovite- and

- phengite-3T: crystal structure and conditions of formation. *Eur. J. Mineral.* **6**, 489 - 496.
- 106 - Deriu A., Ferraris G. & Belluso E. (1994). ^{57}Fe Mössbauer study of the asbestiform silicates balangeroite and carlosturanite. *Phys. Chem. Minerals* **21**, 222 - 227.
- 107 - Bellis D., Belluso E., Burlo P., Ferraris G., Fubini B. Volante M., Bolis V. & Mollo F. (1994). Definizione etiologica di un caso di pneumoconiosi mista da silicati e carbone in assenza del dato anamnestico. *Med. Lav.* **85**, 122-133.
- 108 - Ferraris G., Ivaldi G. & Chopin C. (1995). Magnesiodumortierite, a new mineral from very-high-pressure rocks (Western Alps). Part I: Crystal structure. *Eur. J. Mineral.* **7**, 167-174.
- 109 - Belluso E., Compagnoni R., & Ferraris G. (1995). Occurrence of asbestiform minerals in the serpentinites of the Piemonte zone, western Alps. *Atti Giornata di Studio in Ricordo S. Zucchetti*, Torino 12 Maggio 1994, 57 – 66.
- 110 - Catti M., Ferraris G., Hull S. & Pavese A. (1995). Static compression and H disorder in $\text{Mg}(\text{OH})_2$ (brucite) to 11 GPa: a powder neutron diffraction study. *Phys. Chem. Minerals* **22**, 200-206.
- 111 - Ferraris, G., Ivaldi, G. & Khomyakov, A. P. (1995). Altisite $\text{Na}_3\text{K}_6\text{Ti}_2[\text{Al}_2\text{Si}_8\text{O}_{26}]\text{Cl}_3$ a new hyperalkaline aluminosilicate from Kola Peninsula (Russia) related to lemoynite: crystal structure and thermal evolution. *Eur. J. Mineral.* **7**, 537-546.
- 112 - Chopin, C., Ferraris, G., Ivaldi, G., Schertl, H-P., Schreyer, W., Compagnoni, R., Davidson, C. & Davis, A.M. (1995). Magnesiodumortierite, a new mineral from very-high-pressure rocks (western Alps). II. Crystal chemistry and petrological significance. *Eur. J. Mineral.* **7**, 525-535.
- 113 - Khomyakov, A.P., Nechelyustov, G. N., Ferraris, G. & Ivaldi, G. (1994). Altisite, $\text{Na}_3\text{K}_6\text{Ti}_2[\text{Al}_2\text{Si}_8\text{O}_{26}]\text{Cl}_3$, a new mineral. *Zap. Vseross. Mineral. Obshch.* **123(6)**, 81-85. (In russo)
- 114 - Ferraris G., Pavese, A. & Soboleva S.V. (1995). Tungusite: new data, relationship with gyrolite and structural model. *Min. Mag.* **59**, 535-543.
- 115 - Ferraris, G., Ivaldi, G., Khomyakov, A.P., Soboleva, S.V., Belluso, E., Pavese, A. (1996). Nafertisite, a layer titanosilicate member of a polysomatic series including mica. *Eur. J. Mineral.*, **8**, 241-249.
- 116 - Ferraris G. (1995). Recent contributions to the characterization of minerals from metamorphic rocks of the Western Alps. In "Studies on metamorphic rocks and minerals of the western Alps" B. Lombardo Ed., *Mus. Reg. Sci. Nat. Boll.*, **13** sup., 55-74.
- 117 - Khomyakov, A.P., Ferraris, G., Nechelyustov, G.N., Ivaldi, G., Soboleva, S.V. (1995). Nafertisite $\text{Na}_3(\text{Fe}^{2+}, \text{F}^{3+})_6[\text{Ti}_2\text{Si}_{12}\text{O}_{34}](\text{O}, \text{OH})_7 \cdot 2\text{H}_2\text{O}$, a new mineral. with a new type of band silicate radical. *Zap. Vseross. Mineral. Obshch.*, **124(6)**, 101-108 (in russo).
- 118 - Prencipe, M., Pushcharovsky, D. Yu, Sarp, H., Ferraris, G. (1996). Comparative crystal chemistry of geminite $\text{Cu}[\text{AsO}_3\text{OH}]\text{H}_2\text{O}$ and related related minerals. *Vestnik MSU, ser. 4, Geol.*, **4**, 66-74 (In russo)
- 118a - Prencipe, M., Pushcharovsky, D. Yu, Sarp, H., Ferraris, G. (1996). Comparative crystal chemistry of geminite $\text{Cu}[\text{AsO}_3\text{OH}]\text{H}_2\text{O}$ and related related minerals. *Moscow Univ. Geol. Bull.*, **51**, 51-58.
- 119 - Pavese A., Catti M., Ferraris G., Hull S. (1997). P-V equation of state of portlandite, $\text{Ca}(\text{OH})_2$, from powder neutron diffraction data. *Phys. Chem. Minerals*, **24**, 85-89.
- 120 - Belluso E., Ferraris G., Alberico A. (1997). Amianto, la componente ambientale: dove, quali e come sono gli amianti nelle Alpi Occidentali? In: Minola C., Scansetti G., Piolatto G. & Massola A. (Eds.) *L'amianto: dall'ambiente di lavoro all'ambiente di vita. Nuovi indicatori per futuri effetti*. Fondazione Salvatore Maugeri, IRCCS, Pavia – pp. 167-174
- 121 - Zhukhlistov A.P., Avilov A.S., Ferraris, G., Zvyagin, B.B., Plotnikov, V.P. (1997). Statistical distribution of hydrogen over three positions in the brucite $\text{Mg}(\text{OH})_2$ structure from electron

- diffraction data. *Crystallogr. Rep.*, **42**, 774-777.
- 121b - Zhukhlistov A.P., Avilov A.S., Ferraris, G., Zvyagin, B.B., Plotnikov, V.P. (1997). Statistical distribution of hydrogen over three positions in the brucite $Mg(OH)_2$ structure from electron diffraction data. *Kristallografiya*, **42**, 841 - 845. (In russo).
- 122 - Ferraris G., Khomyakov A.P., Belluso E., Soboleva, S.V. (1997). Polysomatic relationships in some titanosilicates occurring in the hyperagpaitic alkaline rocks of the Kola Peninsula, Russia. *Proc. 30th Inter. Geol. Cong. "Mineralogy"*, **16**, 17-27.
- 123 - Pavese A., Ferraris G., Prencipe M., Ibberson R. (1997). Cation-site ordering in phengite-3T from the Dora-Maira massif (western Alps): a variable-temperature neutron powder-diffraction study. *Eur. J. Mineral.*, **9**, 1183-1190.
- 124 - Nespolo M., Takeda H., Ferraris G., Kogure T. (1997). Composite twins of 1M mica - Derivation and identification. *Mineral. J.*, **19**, 173-186.
- 125 - Nespolo M., Takeda H., Ferraris, G. (1997). Crystallography of mica polytypes. In Merlino, S. (Ed.): *Modular aspects of minerals. EMU Notes in Mineralogy*, **1**, 81-118. *
- 126 - Ferraris, G. (1997). Polysomatism as a tool for correlating properties and structure. In S. Merlino (ed.): *Modular aspects of minerals. EMU Notes in Mineralogy*, **1**, 275-295. *
- 127 - Ferraris, G. & Prencipe, M. (1998). A warning in indexing triclinic powder diffraction data. *Zeit. Kristallogr.* **213**, 82-84.
- 128 - Nespolo M., Takeda H., Ferraris, G. (1998). Representation of the axial settings of mica polytypes. *Acta Cryst. A*, **54A**, 348-356.
- 129 - Alberico, A., Belluso, E., Compagnoni, R & Ferraris, G. (1997). Amianti e minerali asbestiformi sul territorio piemontese. Pp. 97-102 In *Giornata di studio su il rischio amianto legato alle attività estrattive ed alla bonifica di siti industriali dismessi - Regione Piemonte*, Torino (Stampato 1998).
- 130 - Ferraris, G., Prencipe, M. & Rossi, P. (1998). Stoppaniite, a new member of the beryl group: crystal structure and crystallochemical implications. *Eur. J. Mineral.*, **10**, 491-496.
- 131 - Ferraris, G., Khomyakov, A.P., Belluso, E. & Soboleva, S.V. (1998). Kalifersite, a new alkaline silicate from Kola Peninsula (Russia) based on a palygorskite-sepiolite polysomatic series. *Eur. J. Mineral.*, **10**, 865-874.
- 132 - Khomyakov, A.P., Ferraris, G., Belluso, E., Britvin, S.N., Nechelyustov, G.N. & Soboleva, S.V. (1998). Seidite-(Ce), $Na_4SrCeTiSi_8O_{22}F_5 \cdot 5H_2O$ - a new mineral with zeolite properties. *Zap. Vseross. Mineral. Obshch.*, **127**, **N4**, 94-100. In Russian
- 133 - Nespolo M., Kogure T., Ferraris G. (1999). Allotwinning: oriented crystal association of polytypes - Some warnings on consequences. *Z. Kristallogr.*, **214**, 5-8.
- 134 - Pavese A., Ferraris G., Pischedda V., Ibberson R. (1999). Tetrahedral order in phengite $2M_1$ upon heating, from powder neutron diffraction, and thermodynamic consequences. *Eur. J. Mineral.*, **11**, 309-320.
- 135 - Sokolova E.V., Kabalov Yu. K., Ferraris G., Schneider J., Khomyakov A.P. (1999). Modular approach in solving the crystal structure of a synthetic dimorph of nacaphite, $Na_2Ca[PO_4]F$, from powder diffraction. *Canad. Mineral.*, **37**, 83-90.
- 136 - Grice J.D., Ferraris G. (1999). New minerals approved in 1998 by the Commission on New Minerals and Mineral Names International Mineralogical Association. *Canad. Mineral.*, **37**, 247-252 + *Eur. J. Mineral.*, **11**, 775-782 + *Min. Mag.*, **63**, 763 - 772 + *Min. Petr.*, **65**, 277-286.
- 137 - Nespolo M., Takeda H., Kogure T., Ferraris G. (1999). Periodic intensity distribution (PID) of mica polytypes: symbolism, structural model orientation and axial settings. *Acta Cryst.*, **A55**, 659-676.
- 138 - Prencipe M., Ferraris G., Soboleva S.V. (1999). The bootstrap method as a test for non-centrosymmetry - Application to tazheranite, $(Zr,Ca,Ti)O_2$. *Z. Kristallogr.*, **214**, 373-377.
- 139 - Nespolo M., Ferraris G., Takeda H., Takéuchi Y. (1999). Plesiotwinning: oriented associations based on a large coincidence-site lattice. *Z. Kristallogr.*, **214**, 378-382.

- 140 – Ferraris G. (1999). Il ruolo strutturale dell'acqua nei minerali. *Plinius*, **21**, 155-160.
- 141 - Pavese A., Ferraris G., Pischedda V., Mezouar M. (1999). Synchrotron powder diffraction study of phengite 3T from the Dora-Maira massif: p-V-T equation of state and petrological consequences. *Phys. Chem. Miner.*, **26**, 460-467.
- 142 – Ferraris G., Prencipe M., Pautov L.A., Sokolova E.V. (1999). Crystal structure of darapiosite and comparison with Li- and Zn-bearing minerals of the milarite group. *Canad. Mineral.*, **37**, 769-774.
- 143 - Pushcharovsky D.Yu., Pekov I.V., Pluth J., Smith J., Ferraris G., Vinogradova S.A., Arakcheeva A.V., Soboleva S.V., Semenov E.I. (1999). Raite, manganonordite-(Ce) and ferronordite-(Ce) from Lovozero massif: crystal structures and mineral geochemistry. *Crystallogr. Reports*, **44**, 565-574. + *Kristallografiya*, **44**, 612-622 (in Russian).
- 144 - Nespolo M., Ferraris G., Đurovič S. (1999). OD character and twinning – Selective merohedry in class II merohedric twins of OD polytypes. *Z. Kristallogr.*, **214**, 776-779.
- 145 - Nespolo M., Ferraris G., Ohashi H. (1999). Charge Distribution as a tool to investigate structural details: meaning and application to pyroxenes. *Acta Cryst.*, **B55**, 902-916.
- 146 - Gekimiyants V.M., Sokolova E.V., Spiridonov E.M., Ferraris G., Chukanov N.V., Prencipe M., Avdonin, V.N., Polenov, Yu. A. (1999). Hydroxylclinohumite $Mg_9(SiO_4)_4(OH,F)_2$ - A new mineral of the humite group. *Zap. Vseross. Mineral. Obshch.*, **128**, N5, 64-70 (in Russian).
- 147 – Ferraris G., Pavese A. (1999). Interpretation of powder diffraction patterns: Information from isomorphous replacements and central rows. *Crystallogr. Reports*, **44**, 734-737 + *Kristallografiya*, **44**, 794-797 (in Russian).
- 148 – Ferraris G. (1999). Mineralogia e cristallografia. In : *La Facoltà di Scienze Matematiche Fisiche Naturali di Torino 1848-1998 – I – Ricerca Insegnamento Collezioni Scientifiche* (Ed. C.S. Roero) – Dep. Sub. St. Patria, Torino, 335 – 341.
- 149 – Nespolo M., Ferraris G., Takeda H. (2000). Twins and allotwins of basic mica polytypes: theoretical derivation and identification in the reciprocal space. *Acta Cryst.*, **A56**, 132-148.
- 150 - Nespolo M., Ferraris G. (2000). Twinning by syngonic and metric merohedry. Analysis, classification and effects on the diffraction pattern. *Z. Kristallogr.*, **215**, 77-81.
- 151 - Pavese A., Ferraris G., Pischedda V., Radaelli P. (2000). Further study of the cation ordering in phengite 3T by neutron powder diffraction. *Min. Mag.*, **64**, 11-18.
- 152 - Ferraris G., Prencipe M., Sokolova E.V., Gekimiyants V.M., Spiridonov E.M. (2000). Hydroxylclinohumite, a new member of the humite group: Twinning, crystal structure and crystal chemistry of the clinohumite subgroup. *Z. Kristallogr.*, **215**, 169-173.
- 153 – Sokolova E.V., Ferraris G., Ivaldi G., Pautov L.A., Khvorov P.V. (2000). Crystal structure of kapitsaite-(Y), a new borosilicate isotypic with hyalotekite, and crystal chemistry of the related isomorphous series. *N. Jb. Miner. Mh.*, pp. 74-84.
- 154 - Grice J.D., Ferraris G. (2000). New minerals approved in 1999 by the Commission on New Minerals and Mineral Names International Mineralogical Association. *Can. Mineral.*, **38**, 245-250 + *Eur. J. Mineral.*, **12**, 1051-1056.
- 155 - Nespolo M., Ferraris G., Takeda H. (2000). Identification of two allotwins of mica polytypes in reciprocal space through the minimal rhombus unit. *Acta Cryst.*, **B56**, 639-647.
- 156 – Khomyakov A.P., Nechelyustov G.N., Ferraris G., Ivaldi G. (2000). Manganonaujakasite, $Na_6(Mn,Fe)Al_4Si_8O_{26}$, a new mineral from the Lovozero alkaline massif, Kola Peninsula. *Zap. Vseross. Mineral. Obshch.*, **129**(4), 48-53 (in Russian).
- 157 - Pautov L.A., Khvorov P.V., Sokolova E.V., Ferraris G., Ivaldi G., Bazhenova L.F. (2000). Kapitsaite-(Y), $(Ba,K)_4(Y,Ca)_2Si_8(B,Si)_4O_{28}F$ - A new mineral. *Zap. Vseross. Mineral. Obshch.*, **129**(6), 42-49 (in Russian).
- 158 - Chopin C., Ferraris G., Prencipe M., Brunet B., Medenbach O. (2001). Raadeite, $Mg_7(PO_4)_2(OH)_8$: a new dense-packed phosphate from Modum (Norway). *Eur. J. Min.*, **13**, 319-327.

- 159 - Nespolo M., Ferraris G., Hoppe R. (2001). Charge distribution analysis of ceramic materials. *J. of Ceramic Processing Res.*, **2** (1), 38-44.
- 160 - Khomyakov A.P., Nechelyustov G. N., Ferraris G., Gula A., Ivaldi G. (2001). Labuntsovite-Fe and labuntsovite-Mg - two new labuntsovite-group minerals from the Khibina and Kovdor alkaline massifs, Kola Peninsula. *Zap. Vseross. Mineral. Obshch.*, **130** (4), 36-45 (in Russian).
- 161 - Grice J.D., Ferraris G. (2001). New minerals approved in 2000 by the Commission on New Minerals and Mineral Names International Mineralogical Association. *Can. Mineral.*, **39**, 917-924; *Eur. J. Miner.*, **13**, 995-1002; *Min. Petr.*, **72**, 353-362.
- 162 - Ferraris G., Gula A., Ivaldi G., Nespolo M., Raade G. (2001). Crystal structure of kristiansenite: a case of class IIB twinning by metric merohedry. *Z. Kristallogr.*, **216**, 442-448.
- 163 - Nespolo M., Ferraris G., Ivaldi G., Hoppe R. (2001). Charge distribution as a tool to investigate structural details. II. Extension to hydrogen bonds, distorted and hetero-ligand polyhedra. *Acta Crystallogr.*, **B57**, 652-664.
- 164 - Ferraris G., Gula A., Ivaldi G., Nespolo M., Sokolova E., Uvarova Y., Khomyakov, A.P. (2001). First structure determination of an MDO-2O mica polytype associated with a 1M polytype. *Eur. J. Mineral.*, **13**, 1013-1023.
- 165 - Ivaldi G., Ferraris G., Curetti N., Compagnoni R. (2001). Coexisting 3T and 2M₁ polytypes of phengite from Cima Pal (Val Savenca, western Alps): Chemical and polytypic zoning and structural characterisation. *Eur. J. Miner.*, **13**, 1025-1034.
- 166 - Nespolo M., Ferraris G. (2001). Effects of the stacking faults on the calculated electron density of mica polytypes – The Đurovič effect. *Eur. J. Miner.*, **13**, 1035-1045.
- 167 – Pavese A., Ferraris G., Pischedda V., Fauth F. (2001). M1-site occupancy in 3T and 2M₁ phengites by low temperature neutron powder diffraction: reality or artefact? *Eur. J. Mineral.*, **13**, 1071-1078.
- 168 - Ferraris G., Ivaldi G., Pushcharovsky D. Yu., Zubkova N., Pekov I.V. (2001). The crystal structure of delindeite, Ba₂{(Na,K,□)₃(Ti,Fe)[Ti₂(O,OH)₄Si₄O₁₄](H₂O,OH)₂}, a member of the mero-pleisotype bafertisite series. *Can. Mineral.*, **39**, 1307-1316.
- 169 – Ferraris G., Belluso E., Gula A., Soboleva S.V., Ageeva O.A., Borutskii, B. E. (2001). A structural model of the layer titanosilicate bornemanite based on seidozerite and lomonosovite modules. *Can. Mineral.*, **39**, 1665-1673.
- 170 - Ferraris G. (2002). Mineral and inorganic crystals. In Giacobozzo, C. (Ed.): *Fundamentals of Crystallography*, Oxford University Press, pp. 503-584.*
- 171 - Zubkova N.V., Pushcharovsky D.Yu., Ivaldi G., Ferraris G., Pekov I.V., Chukanov N.V. (2002). Crystal structure of natrite, γ -Na₂CO₃. *N. Jb. Miner. Mh.*, pp. 85-96.
- 172 - Popova V.I., Popov V.A., Sokolova E.V., Ferraris G., Chukanov N.V. (2002). Kanonerovite MnNa₃P₃O₁₀·12H₂O, first triphosphate mineral (Kazennitsa pegmatite, Middle Urals, Russia). *N. Jb. Miner. Mh.*, pp. 117-127.
- 173 - Britvin S.N., Ferraris G., Ivaldi G., Bogdanova A.N., Chukanov N.V. (2002). Cattiite, Mg₃(PO₄)₂·22H₂O, a new mineral from Zhelezny Mine (Kovdor massif, Kola Peninsula, Russia). *N. Jb. Miner. Mh.*, pp.160-168.
- 174 – Raade G., Ferraris G., Gula A., Ivaldi G., Bernhard F. (2002). Kristiansenite, a new calcium-scandium-tin sorosilicate from granite pegmatite in Tørdal, Telemark, Norway. *Min. Petr.*, **75**, 89-99.
- 175 - Ferraris G., Ivaldi G. (2002). Structural features of micas. In Mottana A., Sassi F.P, Thompson J.B. & Guggenheim S. (Eds.) *Micas: Crystal Chemistry & Metamorphic Petrology. Reviews Miner. Geochem.*, **46**, 117-153. *
- 176 - Grice J.D., Ferraris G. (2002). New minerals approved in 2001 by the Commission on New Minerals and Mineral Names International Mineralogical Association. *Can. Mineral.*, **40**, 981- 988; *Min.*

- Petr.*, **76**, 149-161; *Am. Min.*, **87**, 1266-1271; *Eur. J. Mineral.*, **14**, 993-999; *Proc. Russ. Min. Soc.*, **131**(4), 53-58.
- 177 - Raade G., Ferraris G., Gula A., Ivaldi G. (2002). Gjerdingenite-Fe from Norway, a new mineral in the labuntsovite group: description, crystal structure and twinning. *Can. Min.*, **40**, 1629-1639.
- 178 - Kartashov P.M., Ferraris G., Ivaldi G., Sokolova E., McCammon C. (2002). Ferriallanite-(Ce), $\text{CaCeFe}^{2+}\text{AlFe}^{3+}(\text{SiO}_4)(\text{Si}_2\text{O}_7)\text{O}(\text{OH})$, a new member of the epidote group: description, X-ray and Mössbauer study. *Can. Miner.*, **40**, 1641-1648.
- 178b - Kartashov P.M., Ferraris G., Ivaldi G., Sokolova E., McCammon C. (2002). Ferriallanite-(Ce), $\text{CaCeFe}^{2+}\text{AlFe}^{3+}(\text{SiO}_4)(\text{Si}_2\text{O}_7)\text{O}(\text{OH})$, a new member of the epidote group: description, X-ray and Mössbauer study: Errata. *Can. Min.*, **41**, 829-830.
- 178bis – Ferraris G. (2002). Presentazione di “Bibliografia mineralogica del Piemonte e della Valle d’Aosta” (M. Angela, P. Brizio, G. Maletto & G. Peyronel. *Museo Regionale di Scienze Naturali, Torino, Cataloghi XIV*.
- 178ter – Ferraris G. (2002). Presentazione di “Minerali delle Alpi Marittime e Cozie” (G.C. Piccoli). Amici del Museo “F. Eusebio” Alba.
- 178quater - Nespolo M, Ferraris G. (2002). Basic crystallography in the PC era. *IUCr Newsletter*, 10(3), 2.
- 179 – Men’shikov, Yu.P., Khomyakov, A.P., Ferraris, G., Belluso, E., Gula, A., Kulchitskaya, E.A. (2003). Eveslogite, $(\text{Ca},\text{K},\text{Na},\text{Sr},\text{Ba})_{24}[(\text{Ti},\text{Nb},\text{Fe},\text{Mn})_6(\text{OH})_6\text{Si}_{24}\text{O}_{72}](\text{F},\text{OH},\text{Cl})_7$, a new mineral from the Khibina alkaline massif, Kola Peninsula, Russia. *Zap. Vseross. Mineral. Obshch.*, **132**(1), 59-67. (in Russian)
- 180 – Nespolo, M., Ferraris, G. (2003). Geminography – The science of twinning applied to the early-stage derivation of non-merohedric twin laws. *Z. Kristallogr.*, **218**, 178-181.
- 181 – Pushcharovsky, D.Yu., Lebedeva, Yu.S., Pekov, I.V, Ferraris, G., Novakova, A.A., Ivaldi, G. (2003). Crystal structure of magnesioferrikataphorite. *Crystallogr. Report*, **48**, 16-23. + *Kristallografiya*, **48**, 21–28.
- 182 – Pavese, A., Curetti, N., Ferraris, G., Ivaldi, G., Russo, U. (2003). Deprotonation and order-disorder reactions as a function of temperature in a phengite 3T (Cima Pal, western Alps) by neutron diffraction and Mössbauer spectroscopy. *Eur. J. Mineral.*, **15**, 357-363.
- 183 – Pekov, I.V, Chukanov, N.V., Ferraris, G., Ivaldi, G., Pushcharovsky, D.Yu., Zadov, A.E. (2003). Shirokshinite, $\text{K}(\text{NaMg}_2)\text{Si}_4\text{O}_{10}\text{F}_2$, a new mica with octahedral Na from Khibiny massif, Kola Peninsula: descriptive data and structural disorder. *Eur. J. Mineral.*, **15**, 447-454.
- 184 – Johnsen, O., Ferraris, G., Gault, R.A., Grice, J.D., Kampf, A.R., Pekov, I.V. (2003). The nomenclature of eudialyte-group minerals. *Can. Min.*, **41**, 785-794.
- 185 – Grice, J.D., Ferraris, G. (2003). New minerals approved in 2002 by the Commission on New Minerals and Mineral Names International Mineralogical Association. *Can. Mineral.*, **41**, 795-802.
- 186 – Ferraris, G., Ciriotti, M. (2003). From anorthite to vesuvianite: an excursion through the minerals first discovered in Italy. *Episodes*, **26**(3), 256-258.
- 187 – Pekov, I.V., Chukanov, N.V., Ferraris, G., Gula, A., Pushcharovsky, D.Yu., Zadov, A.E. (2003). Tsepinite-Ca, $(\text{Ca},\text{K},\text{Na},\square)_2(\text{Ti},\text{Nb})_2(\text{Si}_4\text{O}_{12})(\text{OH},\text{O})_2\bullet 4\text{H}_2\text{O}$, a new mineral of the labuntsovite group from the Khibiny massif, Kola Peninsula - Novel disordered sites in the vuoriyarvite-type structure. - *N. Jb. Miner. Mh.*, pp. 461-480.
- 188 - Gobetchiya, E.R., Pekov, I.V., Pushcharovsky, D.Yu., Ferraris, G., Gula, A., Zubkova, N.V., Chukanov, N.V. (2003). New data on vlasovite: refinement of the crystal structure and radiation damage during the X-ray experiment. *Cryst. Reports*, **48**, 808-812.
- 189 – Bellis, D., Belluso, E., Capella, S., Coverizza, S., Ferraris, G. (2003). Fibre minerali e carcinoma vescicole. Indagine morfologica e mineralogica in un soggetto non professionalmente esposto. *Pathologica*, **95**, 157-161.

- 190 – Chopin, C., Ferraris, G. (2003). Mineral chemistry and mineral reactions in UHPM rocks. *In* D.A. Carswell and R. Compagnoni. (Eds.): *Ultra-High pressure metamorphism. EMU Notes in Mineralogy*, **5**, 191-227. *
- 191 – Ferraris, G., Belluso, E., Gula, A., Khomyakov, A.P., Soboleva, S.V. (2003). The crystal structure of seidite-(Ce), $\text{Na}_4(\text{Ce,Sr})_2\{\text{Ti}(\text{OH})_2(\text{Si}_8\text{O}_{18})\}(\text{O,OH,F})_4 \cdot 5\text{H}_2\text{O}$, a modular microporous titanosilicate of the rhodesite group. *Can. Min.*, **41**, 1183-1192.
- 192 - Khomyakov, A.P., Dusmatov, V.D., Ferraris, G., Gula, A., Ivaldi, G., Nechelyustov, G.N. (2003). Zirsilite-(Ce), $(\text{Na},\square)_{12}(\text{Ce,Na})_3\text{Ca}_6\text{Mn}_3\text{Zr}_3\text{Nb}(\text{Si}_{25}\text{O}_{73})(\text{OH})_3(\text{CO}_3) \cdot \text{H}_2\text{O}$, and carbokentbrooksit, $(\text{Na},\square)_{12}(\text{Na,Ce})_3\text{Ca}_6\text{Mn}_3\text{Zr}_3\text{Nb}(\text{Si}_{25}\text{O}_{73})(\text{OH})_3(\text{CO}_3) \cdot \text{H}_2\text{O}$, two new eudialyte-group minerals from the Dara-i-Pioz alkaline massif, Tajikistan. *Zap. Vseross. Mineral. Obshch.*, **132**(5), 40-51. (In Russian).
- 193 - Alberico, A., Ferrando, S., Ivaldi, G., Ferraris, G. (2003). X-ray single-crystal structure refinement of an OH-rich topaz from Sulu UHP terrane (Eastern China) Structural foundation of the correlation between cell parameters and fluorine content. *Eur J. Mineral.*, **15**, 875-991.
- 194 - Leake, B.E., Woolley, A.R., Birch, W.D., Burke, E.A.J., Ferraris, G., Grice, J.D., Hawthorne, F.C., Kisch, H.J., Krivovichev, V.G., Schumacher, J.C., Stephenson, N.C.N., Whittaker, E.J.W. (2003). Nomenclature of amphiboles: additions and revisions to the International Mineralogical Association's 1997 recommendations. *Can Min.*, **41**, 1355-1362 – *Min. Mag.*, **68**, 209-215 (2004) – *Am. Min.*, **89**, 883-887 (2004) – *Eur. J. Miner.*, **16**, 191-196 (2004); *Zap. Vseross. Mineral. Obshch.*, **133**(4), 31-38.
- 195 – Chukanov, N.V., Subbotin, V.V., Pekov, I.V., Zadov, A.E., Tsepin, A.I., Rozenberg, K.A., Rastsvetaeva, R.K., Ferraris, G. (2003). Neskevaaraitite-Fe, $\text{NaK}_3\text{Fe}(\text{Ti,Nb})_4(\text{Si}_4\text{O}_{12})_2(\text{OH,O})_4 \cdot 6\text{H}_2\text{O}$ – a new labuntsovite group mineral. *New data on minerals*, **38**, 9-14.
- 196 – Nespolo, M., Ferraris, G. (2004). Applied geminography - Symmetry analysis of twinned crystals and definition of twinning by reticular polyhohedry. *Acta Cryst.*, **A60**, 89-95.
- 197 - Chukanov, N.V., Moiseev, M.M., Pekov, I.V., Lazebnik, K.A., Rastsvetaeva, R.K., Zayakina, N.V., Ferraris, G., Ivaldi, G. (2004). Nabalamprophyllite $\text{Ba}(\text{Na,Ba})\{\text{Na}_3\text{Ti}[\text{Ti}_2\text{O}_2\text{Si}_4\text{O}_{14}](\text{OH,F})_2\}$, a new layer titanosilicate of the lamprophyllite group from Inagli and Kovdor alkaline-ultramafic massifs, Russia. *Zap. Vseross. Mineral. Obshch.*, **133**(1), 59-72. (In Russian).
- 198 - Ferraris, G., Makovicky, E., Merlino, S. (2004). *Crystallography of Modular Materials*. IUCr/Oxford University Press. 370 pp. *
- 199 – Nespolo, M., Ferraris, G. (2004). The oriented attachment mechanism in the formation of twins – a survey. *Eur. J. Mineral.*, **16**, 401-406.
- 200 – Ferraris, G., Gula, A., Zubkova, N.V., Pushcharovsky, D. Yu., Gobetchiya, E.R., Pekov, I.V. (2004). The crystal structure of ilímaussite-(Ce), $(\text{Ba,Na})_{10}\text{K}_3\text{Na}_{4.5}\text{Ce}_5(\text{Nb,Ti})_6[\text{Si}_{12}\text{O}_{36}][\text{Si}_9\text{O}_{18}(\text{O,OH})_{24}]\text{O}_6$, and the "ilímaussite" problem. *Can. Min.*, **42**, 787-795.
- 201 – Burke, E.A.J., Ferraris, G. (2004). New minerals and nomenclature modifications approved in 2003 by the Commission on New Minerals and Mineral Names, International Mineralogical Association. *Can. Min.*, **42**, 905-913; *Min. Petr.*, **82**, 161-177; *Am. Min.*, **89**, 1566-1573; *Zap. Vseross. Mineral. Obshch.*, **133**(4), 28-30.
- 202 - Nespolo, M., Ferraris, G., Ďurovič, S., Takéuchi, Y. (2004). Twins vs. modular crystal structures. *Z. Kristallogr.*, **219**, 1-6.
- 203 - Pekov, I.V., Chukanov, N.V., Lebedeva, Yu. S., Pushcharovsky, D.Yu., Ferraris, G., Gula, A., Zadov, A.E., Novakova, A.A., Petersen, O.V. (2004). Potassicarfvedsonite, $\text{KNa}_2\text{Fe}^{2+}_4\text{Fe}^{3+}\text{Si}_8\text{O}_{22}(\text{OH})_2$, a K-dominant amphibole of the arfvedsonite series from agpaite pegmatites – Mineral data, structure refinement and disorder in the A site. *N J. Miner. Mh.*, pp. 555-574.
- 203bis - Bellis, D., Belluso, E., Capella, S., Coverliza, S., Ferraris, G., Graziano, E., Colzani, A.,

- Gobetto, M., Curti, P.C., Dematteis, A. (2005). Dati preliminari sul carico mineralogico nei polmoni di differenti specie animali per la mappatura delle aree a rischio ambientale da amianto. *Il Progresso Veterinario*, **60**(1), 9-14.
- 204 - Nespolo, M., Ferraris, G. (2005). Hybrid twinning – A cooperative type of oriented crystal association. *Z. Kristallogr.*, **220**, 317-323.
- 205 – Burke, A.J., Ferraris, G. (2005). New minerals and nomenclature modifications approved in 2004 by the Commission on New Minerals and Mineral Names, International Mineralogical Association. *Can. Mineral.*, **43**, 829-835.
- 206 – Ferraris, G., Merlino, S. (Eds.) (2005). *Micro and mesoporous mineral phases*. Vol. 57 of Rev. Mineral. Geochem. Mineralogical Soc. America, Washington DC. 448 pp.*
- 207 – Ferraris, G., Gula, A. (2005). Polysomatic aspects of microporous minerals – Heterophyllosilicates, palysepioles and rhodesite-related structures. *Rev. Mineral. Geochem.*, **57**, 69-104.*
- 208 - Nèmeth, P., Ferraris, G., Radnóczy, G., Ageeva, O.A. (2005). TEM and X-ray study of syntactic intergrowths of epistolite with murmanite and shkatulkalite. *Can. Min.*, **43**, 973-987.
- 209 – Ferraris, G. (2005) – Micro- and Mesoporous Mineral Phases – *Episodes*, **28**, 218-219.
- 210 – Pischedda, V., Ferraris, G., Raade, G. (2005). Single-crystal X-ray diffraction study on neighborite (NaMgF₃) from Gjerdingselva, Norway. *N J. Miner.Abh.*, **182**, 23-29.
- 211 - Khomyakov, A.P., Menshikov, Yu.P., Ferraris, G., Nèmeth, P., Nechelyustov, G.N. (2005). Bykovaite, BaNa{(Na,Ti)₄[(Ti,Nb)₂(OH,O)₃Si₄O₁₄](OH,F)₂}•3H₂O, a new heterophyllosilicate from the Lovozero alkaline massif, Kola Peninsula, Russia. *Zap. Vseross. Mineral. Obshch.*, **134**(5), 40-48 (in Russian).
- 212 – Ferraris, G. (2006). Pillared materials from layer titanosilicates? *Solid State Phenomena*, **111**, 47-50.
- 213 – Burke, A.J., Ferraris, G. (2006). New minerals approved in 2005 - Nomenclature modifications approved in 2005 by the Commission on New Minerals and Mineral Names - International Mineralogical Association. *Can. Mineral.*, **44**, 547-552.
- 214 - Belluso, E., Bellis, D., Fornero, E., Capella, S., Ferraris, G., Coverizza, S. (2006). Assessment of inorganic fibre burden in biological samples by SEM-EDS. *Microchim. Acta*, **155**, 95-100.
- 215 - Ferraris, G. (2006). Heterophyllosilicates: prospects of technological applications. In A. M. Pystin (ed.): *Problems of geology and mineralogy*, Komy Institute of Geology, Syktyvkar, Russia, pp. 65-75.*
- 216 – Nespolo, M., Ferraris, G. (2006). The derivation of twin laws in non-merohedric twins - Application to the analysis of hybrid twins. *Acta Crystallogr.*, **A62**, 336-349.
- 217 - Krivovichev, S.V., Chernyshov, D. Yu., Döbelin, N., Armbruster, Th., Kahlenberg, V., Kaindl, R., Ferraris, G., Tessadri, R., Kaltenhauser, G. (2006). Crystal chemistry and polytypism of tyrolite. *Am. Mineral.*, **91**, 1378-1384.
- 218 – Kartashov, P.M., Ferraris, G., Soboleva, S.V., Chukanov, N.V. (2006). Caryochroite, a new heterophyllosilicate mineral species related to nafertisite from the Lovozero massif (Kola Peninsula, Russia). *Can. Min.*, **44**, 1331-1339.
- 219 - Belluso, E., Bellis, D., Bruni B.M., Capella, S., Coverizza, S., Ferraris, G., Fornero, E., Paletti, L., Rinaudo C. (2006). Studio preliminare sulla valutazione indiretta delle fibre inorganiche respirabili aerodisperse in Valle di Susa (Piemonte – Alpi Occidentali). *Rend. Soc. Geol. It.*, **3**, 41-45.
- 220 - Nespolo, M., Ferraris, G. (2007). Overlooked problems in manifold twins: twin misfit in zero-obliquity TLQS twinning and twin index calculation. *Acta Crystallogr.*, **A63**, 278-286.
- 221 – Cadoni, M., Ferraris, G. (2007). Microporous titanosilicates - Synthesis and structural characterization of a new orthorhombic-type labuntsovite. *Eur. J. Mineral.*, **19**, 217-222.
- 222 – Ferraris, G., Cadoni, M. (2008). Recurrent complex modules instead of molecules in non-

- molecular compounds - Describing and modelling modular inorganic structures. In J.C.A. Boeyens and J.F. Ogilvie (eds.): *Models, Mysteries and Magic of Molecules*. Springer, Berlin pp. 365-390.*
- 223 – Ferraris, G., Bloise, A., Cadoni, M. (2008). Layered titanosilicates – A review and some results on the hydrothermal synthesis of bafertisite. *Micropor. Mesopor. Materials*, **107**, 108-112. doi:10.1016/j.micromeso.2007.02.036
- 224 – Ferraris, G. (2008). Modular structures – The paradigmatic case of heterophyllosilicates. *Z. Kristallogr.*, **223**, 76-84. DOI 10.1524/zkri.2008.0005
- 225 – Ferraris, G. (2008). Heterophyllosilicates, a potential source of nanolayers for materials science. In S. V. Krivovichev (ed.): *Minerals as advanced materials I*. Springer, Berlin pp. 157-163.*
- 226 – Bloise, A., Barrese, E., Ferraris, G. (2008). Flux growth of straw-like rutile monocrystals. *Cryst. Res. Technol.*, **43**, 121-126; DOI 10.1002/crat.200711069.
- 227 - Curetti, N., Ferraris, G., Ivaldi, G. (2008). Correlation between crystallization pressure and structural parameters of phengites. *Am. Min.*, **93**, 451-455.
- 228 - Ferraris, G., Makovicky, E., Merlino, S. (2008). *Crystallography of Modular Materials*. IUCr/Oxford University Press – Paperback edition. 372 pp. *
- 229 - Cadoni, M., Ferraris, G. (2008). Penkvilksite-2O: Na₂TiSi₄O₁₁.2H₂O. *Acta Crystallogr.*, **C64**, i87-i90. DOI 10.1107/S0108270108031806.
- 230 - Cadoni, M., Bloise, A., Ferraris, G., Merlino, S. (2008). Order-disorder character and twinning in the structure of a new titanosilicate: (Ba,Sr)₄Ti₆Si₄O₂₄.H₂O. *Acta Crystallogr. B*, **B64**, 669-675. DOI 10.1107/S0108768108032631.
- 231 - Nèmeth, P., Khomyakov, A.P., Ferraris, G., Menshikov, Yu. P. (2009). Nechelyustovite, a new heterophyllosilicate mineral, and new data on bykovaite: A comparative TEM study. *Eur. J. Mineral.*, **21**, 251-260. DOI 10.1127/0935-1221/2009/0021-1864.
- 232 – Cadoni, M., Ferraris, G. (2009). Synthesis and crystal structure of two new members of the rhodesite mero-pleisotype series close to delhayelite and hydrodelhayelite. *Eur. J. Mineral.*, **21**, 485-493. DOI 10.1127/0935-1221/2009/0021-1918. + *Erratum Eur. J. Mineral.*, **22** 10.1127/0935-1221/2009/0021-1918.
- 233 - Nespolo, M., Ferraris, G. (2009). A survey of hybrid twins in non-silicate minerals. *Eur. J. Mineral.*, **21**, 673-690. DOI 10.1127/0935-1221/2009/0021-1937.
- 234 - Ferraris, G. (Ed., Special Issue) (2009). Layered materials: structure and properties. *Zeit. Kristallogr.* **224** (5-6), IV + 241 - 324.
- 235 - Ferraris, G. (2009). Book review: Structural crystallography of inorganic oxysalts, by Sergey V. Krivovichev. *Crystallography Reviews*, **15**, 279-281. DOI 10.1080/08893110903020634.
- 236 - Mills, S.J., Hatert, F. Nickel, E.H., Ferraris, G. (2009). The standardisation of mineral group hierarchies: application to recent nomenclature proposals. *Eur. J. Mineral.*, **21**, 1073 - 1080. DOI: 10.1127/0935-1221/2009/0021-1994.
- 237 - Ferraris, G. & Cadoni, M. (2009). From minerals to materials: some examples of microporous minerals. In N. Anastasiu & O. Dului (eds.): *Mineralogy and geodiversity*. Romania Academy, Bucharest pp. 19-27.*
- 238 - Cadoni, M. & Ferraris, G. (2010). Two new silicate structures based on a rhodesite-type heteropolyhedral microporous framework. *Acta Crystallogr.*, **B66**, 151-157. DOI 10.1107/S0108768109050009
- 239 - Cadoni, M., Cheah, Y.L & Ferraris, G. (2010). New RE microporous heteropolyhedral silicates containing 4¹⁵6¹8² tetrahedral sheets. *Acta Crystallogr.*, **B66**, 158-164. DOI 10.1107/S0108768109055359
- 240 - Rigault, G. & Ferraris, G. (2010). Sui *tipi* di cella elementare in un reticolo a *n*-dimensioni. *Atti Acad. Sci. Torino*, **144**, 153-160. (pubblicato 2012).
- 241 - Ferraris, G. (2011). Inorganic and mineral crystals. In Giacobozzo, G. (Ed.): *Fundamentals of*

Crystallography, Oxford University Press, pp. 512-591.*

- 242 - Cadoni, M. & Ferraris, G. (2011). Polytypic and polymorphic relations between sazhinite and isochemical alkali-REE layer silicates. *Eur. J. Mineral.*, **23**, 85-90. DOI: 10.1127/0935-1221/2011/0023-2076
- 243 - Cadoni, M. & Ferraris, G. (2011). Synthesis and crystal structure of Na₂MnSi₄O₁₀ - Relationship with the manaksite group. *Rend. Fis. Acc. Lincei*, **22**, 225-234 DOI 10.1007/s12210-011-0125-5
- 244 - Cadoni, M. & Ferraris, G. (2011). Minerals as materials - Silicate sheets based on mixed rings as modules to build heteropolyhedral microporous frameworks. In S. V. Krivovichev (ed.): *Minerals as advanced materials II*. Springer, Berlin pp. 153-162*. DOI 10.1007/978-3-642-20018-2_14
- 245 - Cadoni, M., Ciriotti M. E., Ferraris, G. (2011). Wakefieldite-(Y) from Montaldo di Mondovì (Italy): new data and crystal structure. *Rend. Fis. Acc. Lincei*, **22**, 307-314 DOI 10.1007/s12210-011-0134-4
- 246 - Pignatelli, I., Nespolo, M., Ferraris, G. (2011). A survey of hybrid twins in silicate minerals. *Eur. J. Mineral.*, **23**, 779-794. DOI 10.1127/0935-1221/2011/0023-2142.
- 247 – Ferraris, G. (2010/2011). Presentazione di *Minerali a Torino* di E. Costa e L.M. Gallo. Museo Regionale di Scienze Naturali, Torino.
- 248 - Ferraris, G. (2012). Book review: Structural Mineralogy and Inorganic Crystal Chemistry by Sergey V. Krivovichev. *Acta Crystallogr.*, **B68**, 98-99. DOI 10.1107/S010876811105484X.
- 249 - Mills, S.J., Ferraris, G., Kampf, A.R., Favreau, G. (2012). Twinning in pyromorphite: The first documented occurrence of twinning by merohedry in a mineral of the apatite supergroup. *Am. Mineral.*, **95**, 415-418. DOI 10.2138/am.2012.3984.
- 250 - Bonaccorsi, E., Ferraris, G., Merlino, S. (2012). Crystal structure of 2M and 1A polytypes of balangeroite. *Z. Kristallogr.*, **227**, 460-467. DOI 10.1524/zkri.2012.1498.
- 251 - Mills, S.J., Bindi, L., Cadoni, M., Kampf, A.R., Ciriotti, M. E., Ferraris, G. (2012). Paseroite, PbMn²⁺(Fe³⁺,□)₂(V⁵⁺,Ti,□)₁₈O₃₈, a new member of the crichtonite group. *Eur. J. Mineral.*, **24**, 1061-1067. DOI 10.1127/0935-1221/2012/0024-2243.
- 252 – Ferraris, C., Ferraris, G. (2012). Lo scienziato e le sue collezioni mineralogiche. In: Sella di Monteluca Nicolò (Ed.) *Quintino Sella – Scritti di Scienza. L'Armonia del Sapere e del Fare*, Roma, pp. 429-444.
- 253 – Mottana, A., Ferraris, G., Brunori, M. (2013) – The centennial of X-ray diffraction (1912-2012). Foreword. *Rend. Fis. Acc. Lincei*, **24** (Suppl 1), S1-S5. DOI 10.1007/s12210-013-0225-5.
- 254 – Ferraris, G. (2013). Quintino Sella tra matematica, cristallografia e mineralogia. *Atti dei Convegni Lincei*, **269**, 207-235.
- 255 – Ferraris, G. (2013). Amedeo Avogadro e la cristallografia. In: A duecento anni dall'ipotesi di Avogadro. *Quaderni dell'Accademia delle Scienze di Torino*, **19**, 41-52.
- 256 - Ferraris, G. (2013). Ricordo di Mariano Calleri. *Plinius*, **13**, 16-17.
- 257 - Nespolo, M., Ferraris, G., Souvignier, B. (2014) - Effects of merohedric twinning on the diffraction pattern. *Acta Cryst.*, **A70**, 106-125. doi:10.1107/S2053273313029082
- 258 – Ferraris, G. et al. (2014) (contributor) – in A. Authier and G. Chapuis (Ed.) *A little dictionary of crystallography*, International Union of Crystallography.*
- 259 - Nespolo, M., Ferraris, G., Souvignier, B. (2014) - Effects of merohedric twinning on the diffraction pattern. Erratum and corrigenda. *Acta Cryst.*, **A70**, 683–684. doi:10.1107/S205327331402107X.
- 260 - Ferraris, G. (2015) (a cura di). Impact of crystallography on modern science. *Quaderni dell'Accademia delle Scienze di Torino*, **21**.
- 261 – Ferraris, G. (2015). Cristallografia e Accademia delle Scienze di Torino. In: Impact of crystallography on modern science. *Quaderni dell'Accademia delle Scienze di Torino*, **21**, 5-20.

- 262 - Ferraris, G. (2016) (Book review). Highlights in mineralogical crystallography, edited by Th. Armbruster and R.M. Danisi. *Crystallography Reviews*, DOI: 10.1080/0889311X.2016.1157788
- 263 – Ferraris, G. (2016) (Book review). Crystal Clear. The Autobiographies of Sir Lawrence & Lady Bragg. Edited by A. M. Glazer and Patience Thomson. *Acta Cryst.*, **A72**, 510-511.
<http://dx.doi.org/10.1107/S2053273315024018>.
- 264 - Ferraris, G. (2016) (Book review). Perspectives in Crystallography. By John R. Helliwell. *Acta Cryst.*, **A72**, 512-513. <http://dx.doi.org/10.1107/S2053273316003831>.
- 265 – Ferraris, G. (2016). Max von Laue tra raggi X e cristalli. *Acc. Sc. Torino Memorie Sc. Fis.*, **40**, 47-61.
- 266 - Ferraris, G. (2017) (a cura di). La luce fra scienza e cultura. 2015, anno internazionale della luce. *Quaderni dell'Accademia delle Scienze di Torino*, **26**.
- 267 – Ferraris, G. (2017). Prefazione + Dove la luce si fa in due. In: La luce fra scienza e cultura. 2015, anno internazionale della luce. *Quaderni dell'Accademia delle Scienze di Torino*, **26**, 3-14.
- 268 – Ferraris, G. (2017). Carlo Fabrizio Parona. In: Tra le carte della scienza - L'archivio storico dell'Accademia delle Scienze di Torino dal passato alla modernità (a cura di E. Borgi e D. Caffaratto). Accademia delle Scienze di Torino, pp. 83-85.
- 269 – Ferraris, G. (2018). Francesco Paolo Sassi chief editor di *European Journal of Mineralogy*. *Atti Ac. Naz. Lincei, cl. Sci. Fis. Mat. Nat., Rend. Lincei suppl.* “Francesco Paolo Sassi ad un anno dalla scomparsa, Roma, 20 aprile 2017”, pp. 57-60.
- 270 - Ferraris, C., Weinert, O., Ferraris, G. (2018). La correspondance entre Alfred Des Cloizeaux et Quintino Sella. *Riv. di Storia Univ. Torino*, VII, 1-98. <http://dx.doi.org/10.13135/2281-2164/2805>
- 271 – Ferraris, G. (2018). José Lima-de-Faria (1925-2018). *J. Applied Crystallography*, **53**, 1507-1508. <https://doi.org/10.1107/S1600576718013316> + IUCr Newsletter (2018), 26/2.
- 272 – Ferraris, G. (2019). Early contributions of crystallography to the atomic theory of matter. *Substantia*, **3**(1), 111-118. doi: 10.13128/substantia-81
- 273 – Ferraris, G., Oberti, R. (2019) (a cura di). 200 anni di cristalli misti. *Quaderni dell'Accademia delle Scienze di Torino*, **30**.
- 274 – Ferraris, G. (2019). Cristalli misti: proficue idee sulla struttura della materia. *Quaderni dell'Accademia delle Scienze di Torino*, **30**, 7-20.
- 275 - R. Arletti, R., Cruciani, G., Ferraris, G. (2019). Powder diffraction by minerals. *International Tables for Crystallography* (2019). Vol. H, ch. 7.14, pp. 885-892
[doi:10.1107/97809553602060000988](https://doi.org/10.1107/97809553602060000988)

* Books

sette numeri sono bissati, uno è quadruplo